特 許 協 力 条 約

PCT

REC'D 2 6 NOV 2004

WIPO

PCT

特許性に関する国際予備報告(特許協力条約第二章)

(法第12条、法施行規則第56条) 【PCT36条及びPCT規則70】

·				
出願人又は代理人 F030025 の書類記号	今後の手続きについ	ては、様式PCT/	/IPEA/416を参	照すること。
国際出願番号 PCT/JP03/11002	国際出願日 (日.月.年) 29.	08.2003	優先日 (日.月.年) 17.	1 2. 2 0 0 2
国際特許分類 (IPC) Int. Cl. 7	A47F7/28	•		
出願人(氏名又は名称) 麒麟麦酒株式会社				·
1. この報告書は、PCT35条に基づ 法施行規則第57条 (PCT36条)	 きこの国際予備審査機 の規定に従い送付する	 関で作成された国 。	祭予備審査報告である。	,
2. この国際予備審査報告は、この表紙	を含めて全部で	4 ~-	ジからなる。	
3. この報告には次の附属物件も添付さる M属書類は全部で		. · ·		
補正されて、この報告の基 囲及び/又は図面の用紙(礎とされた及び/又は PCT規則70.16及び	この国際予備審査 実施細則第607号	機関が認めた訂正を含む ・参照)	明細書、請求の範
第 I 欄 4 . 及び補充欄に示 国際予備審査機関が認定し	したように、出願時に た差替え用紙	おける国際出願の	開示の範囲を超えた補正	を含むものとこの
		•	(デフササム)	種類、数を示す)。
b 【 電子媒体は全部で		THE IS TO TAKE IN THE	一 (電子操件の	風親、数を小り/。 □虫に関連ナステー
配列表に関する補充欄に示す ブルを含む。(実施細則第8	02号参照)	説み取り 円脂な形	込作によ る 自じクリスズ ス 「本日じク	13X1CB0E 7 0 7
4. この国際予備審査報告は、次の内容	を含む。			
第 Ⅰ 欄 国際予備審査等第 Ⅰ 欄 優先権	凝告の基礎			
第Ⅲ欄 新規性、進歩作 第Ⅳ欄 発明の単一性の	の欠如			
▼ 第V欄 PCT35条 けるための文	(2) に規定する新規性、	進歩性又は産業上	の利用可能性についての	D見解、それを裏付
第VI欄 ある種の引用				
第VI欄 国際出願の不				
第1個 国際出願に対	する意見		•	
			<u> </u>	
国際予備審査の請求書を受理した日 14.06.2004		国際予備審査報告 26.	を作成した日 10.2004	
名称及びあて先		特許庁審査官(権	限のある職員)	3R 9028
日本国特許庁 (IPEA/JF 郵便番号100-8915	5 '	種子	浩明	•
東京都千代田区霞が関三丁目 4	1番3号			1-46

特許性に関する国際予備報告

国際出願番号 PCT/JP03/11002

第I欄	報告の基礎	·	
	国際予備審査報告は、下配に示す場合を除くほか	、国際出願の言語を基礎	とした。
	この報告は、 語による翻訳文を		
LJ }	この報告は、	. 巫weに ひた。 る。	
	PCT規則12.3及び23.1(b)にいう国際調査		
F	PCT規則12.4にいう国際公開		
Ē	PCT規則55.2又は55.3にいう国際予備審査	•	
	- Chieffe C A	、(アのエ1.4条) の坦宁	・・サペノ会会に広答するために提出され
2.この	報告は下記の出願書類を基礎とした。 (法第6条 用紙は、この報告において「出願時」とし、この	e (PCII4米) の別だ。)報告に添付していない。	
た左右へ	The state of the s	,	
×	出願時の国際出願書類		·
	UF 4m fte		
لاا	明細 杏 第 ページ、	出願時に提出されたもの	· :
	第		付けで国際予備審査機関が受理したもの
	第 ページ*、		付けで国際予備審査機関が受理したもの
	請求の範囲	• .	
ا ا	第 項、	出願時に提出されたもの	
	第	PCT19条の規定に基	づき補正されたもの
,	第		付けで国際予備審査機関が受理したもの 付けで国際予備審査機関が受理したもの
ļ	第		刊17(国际)加带直域员从文本工作。
	図面.	•	
	笛 ページ/図、	出願時に提出されたもの	リルー国際マ #
			付けで国際予備審査機関が受理したもの 付けで国際予備審査機関が受理したもの
	第 ペーシノ凶*、	1	1717 CERT I WE EXCENT X TO TO
	配列表又は関連するテーブル		
	配列表に関する補充欄を参照すること。	•	
3. 🗀	補正により、下記の書類が削除された。		
•. —			
1	明細書 第	· .	ページ 項
	請求の範囲 第 図面 第		ページ/図
	□ 配列表(具体的に記載すること)		
'	■ 配列表に関連するテーブル (具体的に記載	すること)	
	•		•
4. 🗆	この報告は、補充欄に示したように、この報告	に添付されかつ以下に示し	した補正が出願時における開示の範囲を超
١ ١	えてされたものと認められるので、その補正が	されなかったものとして作	F成した。 (PCT規則70.2(c))
1.			~* ×\$
· .	明細書 第		ベーシ 項
			ス ページ/図
	配列表(具体的に記載すること)		
	配列表に関連するテーブル(具体的に記載	すること)	
1 .		•	
1.			
	alian to the same and the same	na 44 z = 1,234 z	
* 4.	に該当する場合、その用紙に "superseded" と問	に入されることかめる。	•
1			

第 V 欄 新規性、進歩性又は産業上 それを裏付ける文献及び説	の利用可能性についての法第12条(PCT35条(2))に定める見解、 明	
1. 見解		
新規性 (N)	請求の範囲 <u>1-8</u> 請求の範囲	有無
進歩性(IS)	請求の範囲 請求の範囲 <u>1-8</u>	有無
産業上の利用可能性(IA)	請求の範囲 <u>1-8</u> 請求の範囲	有無
2. 文献及び説明(PCT規則70	. 7)	
文献1: JP 2	000-272683 A (北越製紙株式会社)	
文献2:US 5 INTE	. 10.03,全頁,全図 323895 A (RIVERWOOD RNATIONAL CORPORATION	
メ献3:日本国美 (日本国 細書及び	NTA, GA) 1994.06.28,全頁,全図 用新案登録出願5-39943号 実用新案登録出願公開7-4370号)の願書に添付したり 図面の内容を記録したCD-ROM(株式会社クラウン・)	明パ
文献4:JP 2) 1995.01.24,全貝,全凶 001-97443 A(花王株式会社)	
文献 5 : JP 2	04.10,全頁,全図 001-301069 A (大日本印刷株式会社)	
文献 6: JP, 8	001-301069 A (大日本印刷株式会社) 10.30,全頁,全図 -301340,A (永佐化工株式会社)	
文献 / ・ JP, 3.	11.19,全頁,全図 045297,U(永佐化工株式会社)	
1997. 文献8:JP, 8	11.05,全頁,全図 -310557,A(永佐化工株式会社) 11.26	
文版 9: JP, L!	11.26 0-175662, A (株式会社フジシール、石田陞治) 06.30, 全頁, 全図	

請求の範囲1-4に係る発明は、国際調査報告で引用された文献1、文献2、文献3と新たに引用した文献4とにより進歩性を有しない。文献4に記載された容器吊り下げ具の基板をパルプモールドで成形することを、文献1と文献2と文献3に記載されている本願出願前周知の容器吊り下げ具に適用することは、当業者にとって容易である。

請求の範囲5に係る発明は、文献1乃至3、文献4と新たに引用した文献5とにより進歩性を有しない。文献5に記載された容器吊り下げ具の基板に耐水加工を施すことを、上記本願出願前周知の容器吊り下げ具と文献4に記載されている容器吊り下げ具とを組み合わせたものに適用することは、当業者にとって容易である。

請求の範囲6乃至8に係る発明は、文献1乃至文献5、国際調査報告で引用された文献6、同文献7、同文献8、同文献9とにより進歩性を有しない。上記本願出願前周知の容器吊り下げ具と文献4及び文献5に記載されている容器吊り下げ具文献とを組み合わせたものに、文献6乃至9に記載されている本願出願前周知の技術

補充欄

いずれかの欄の大きさが足りない場合

第 v 欄の続き

である容器の頭部を覆うキャップ状の嵌合部を形成した天板を容器吊り下げ具に設けることを適用することは、当業者にとって容易である。

ここで、容器吊り下げ具と天板を一体成形するか、容器吊り下げ具に天板を貼り合わせて一体にするか選択することは、単なる設計上の事項である。



Translation



PCT

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

(Chapter II of the Patent Cooperation Treaty)

(PCT Article 36 and Rule 70)

Applicant's or agent's file reference F030025 FOR FURTHE		rion	See Form PCT/IPEA/416	
International application No. PCT/JP2003/011002 International filing 29 August 20		(day/month/year) (29.08.2003)	Priority date (day/month/year) 17 December 2002 (17.12.2002)	
International Patent Classification (IPC) or national classification and IPC A47F 7/28				
Applicant KIRIN BREWERY COMPANY, LIMITED				
 This report is the international preliminary examination report, established by this International Preliminary Examining Authority under Article 35 and transmitted to the applicant according to Article 36. 				
2. This REPORT consists of a total of	4 sheets, i	including this cover s	sheet.	
3. This report is also accompanied by A	ANNEXES, comprising:			
a. (sent to the applicant and	l to the International Bure	eau) a total of	sheets, as follows:	
sheets of the description, claims and/or drawings which have been amended and are the basis of this report and/or sheets containing rectifications authorized by this Authority (see Rule 70.16 and Section 607 of the Administrative Instructions).				
sheets which supersede earlier sheets, but which this Authority considers contain an amendment that goes beyond the disclosure in the international application as filed, as indicated in item 4 of Box No. I and the Supplemental Box.				
b. (sent to the International Bureau only) a total of (indicate type and number of electronic carrier(s)) , containing a sequence listing and/or tables related thereto, in computer readable form only, as indicated in the Supplemental Box Relating to Sequence Listing (see Section 802 of the Administrative Instructions).				
4. This report contains indications relating to the following items:				
Box No. I Basis of the re	Box No. I Basis of the report			
Box No. II Priority	Box No. II Priority			
Box No. III Non-establish	Box No. III Non-establishment of opinion with regard to novelty, inventive step and industrial applicability			
Box No. IV Lack of unity	Box No. IV Lack of unity of invention			
Box No. V Reasoned state citations and	Box No. V Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement			
Box No. VI Certain docur	ments cited			
Box No. VII Certain defec	Box No. VII Certain defects in the international application			
Box No. VIII Certain obser	vations on the internation	nal application		
Date of submission of the demand		Date of completion	of this report	
14 June 2004 (14.06.	2004)	26 (October 2004 (26.10.2004)	
Name and mailing address of the IPEA/JP		Authorized officer		
Facsimile No.		Telephone No.		

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

International application No.

PCT/JP2003/011002

BOX 140		Basis of the report		
1. With other	regard wise in	to the language, this report is based on the international application in the language in which it was filed, unless dicated under this item.		
	This whicl	report is based on translations from the original language into the following language, h is language of a translation furnished for the purpose of:		
		international search (under Rules 12.3 and 23.1(b))		
	publication of the international application (under Rule 12.4)			
	international preliminary examination (under Rules 55.2 and/or 55.3)			
and a	regard thed to re not a The in	to the elements of the international application, this report is based on (replacement sheets which have been the receiving Office in response to an invitation under Article 14 are referred to in this report as "originally filed" annexed to this report): ternational application as originally filed/furnished scription:		
لـــا	pages			
	. o pages*	, as originally filed/furnished, as originally filed/furnished		
	pages*			
	a seque	ence listing and/or any related table(s) – see Supplemental Box Relating to Sequence Listing.		
3. 🔲	The am	nendments have resulted in the cancellation of:		
	$\prod t$	he description, pages		
		he claims, Nos		
		he drawings, sheets/figs		
		he sequence listing (specify):		
		ny table(s) related to sequence listing (specify):		
	<u>"</u> س	table(3) related to sequence listing (specify):		
Į.	(Rule 7	port has been established as if (some of) the amendments annexed to this report and listed below had not been since they have been considered to go beyond the disclosure as filed, as indicated in the Supplemental Box 0.2(c)). The description, pages		
* If item	4 appli	es, some or all of those sheets may be marked "superseded."		



International application No.
PCT/JP03/11002

Box No. V Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement

tatement			
Novelty (N)	Claims	1-8	YE
	Claims		NO
Inventive step (IS)	Claims		YE
	Claims	1-8	NO NO
Industrial applicability (IA)	Claims	1-8	YE
	Claims		NO NO

2. Citations and explanations (Rule 70.7)

Document 1: JP, 2000-272683, A (Hokuetsu Paper Mills, Ltd.), 3 October, 2000 (03.10.00), all pages, all drawings

Document 2: US, 5323895, A (Riverwood International Corp.), 28 June, 1994 (28.06.94), all pages, all drawings

Document 3: CD-ROM of the specification and drawings annexed to the written application of Japanese Utility Model Application No. 39943/1993 (Laid-open No. 4370/1995) (Crown Package Co., Ltd.), 24 January, 1995 (24.01.95), all pages, all drawings

Document 4: JP, 2001-97443, A (Kao Corp.), 10 April, 2001 (10.04.01), all pages, all drawings

Document 5: JP, 2001-301069, A (Dainippon Printing Co., Ltd.), 30 October, 2001 (30.10.01), all pages, all drawings

Document 6: JP, 8-301340, A (Nagasa Co., Ltd.), 19 November, 1996 (19.11.96), all pages, all drawings

Document 7: JP, 3045297, U (Nagasa Co., Ltd.), 5 November, 1997 (05.11.97), all pages, all drawings


Document 8: JP, 8-310557, A (Nagasa Co., Ltd.), 26 November, 1996 (26.11.96)

Document 9: JP, 10-175662, A (Fuji Seal, Inc., and Shoji Ishida), 30 June, 1998 (30.06.98), all pages, all drawings

The subject matters of claims 1-4 do not appear to involve an inventive step in view of documents 1-3 cited in the ISR and newly cited document 4. A person skilled in the art could have easily applied the production of the board of a container suspending device by means of pulp molding described in document 4 to the container suspending device described in any one of documents 1-3 and well known before the filing date of the present application.

The subject matter of claim 5 does not appear to involve an inventive step in view of documents 1-4 and newly cited document 5. A person skilled in the art could have easily applied the water-proof processing of the board of a container suspending device described in document 5, to a combination consisting of the aforesaid container suspending device well known before the filing date of the present application and the container suspending device described in document 4.

The subject matters of claims 6-8 do not appear to involve an inventive step in view of documents 1-5 and documents 6-9 cited in the ISR. A person skilled in the art could have easily applied the technique described in documents 6-9 and well known before the filing date of the present application, in which a top plate having cap-like fitting portions formed to cover the heads of containers is provided in a container suspending device, to a combination consisting of the aforesaid container suspending device well known before the filing date of the present application and the container suspending device described in document 4 or 5.



INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

PCT/JP03/11002

Supplemental Box		
In case the space in any of the preceding boxes is not sufficient. Continuation of: V		
Selecting either integrally molding the container suspending device and the top plate or sticking the top plate to the container suspending device for integration is a mere matter of design variation.		
Jate to the container suspending device for integration is a master and a second suspending device for integration is a master and a second suspending device for integration is a master and a second suspending device for integration is a master and a second suspending device for integration is a second suspending device for integration in the second suspending device for integration is a		
·		
·		